

| Genere      | Specie              | Varietà/Cultivar | Z/CO    | Forma       | Dimensioni |
|-------------|---------------------|------------------|---------|-------------|------------|
| Abelia      | grandiflora         |                  | Lt 9    |             | primavera  |
| Abelia      | grandiflora         |                  | Lt 18   |             | 40/50      |
| Abies       | normandiana da seme |                  | Lt 50   |             | 150/+      |
| Abies       | normandiana         |                  | Lt 30   |             | 125/150    |
| Abies       | normandiana         | Pendula          | zolla   |             | 400/500    |
| Acacia      | dealbata            |                  | Lt 3    | astone      |            |
| Acer        | in varietà          |                  | Lt 9    |             |            |
| Acer        | dissectum           | Inaba Shidare    | Lt 9    | ½ fusto     |            |
| Acer        | palmatum da seme    |                  | Lt 18   |             |            |
| Acer        | palmatum            |                  | Lt 25   | ciotola     | 150/175    |
| Acer        | palmatum da seme    |                  | Lt 18   | ½ fusto     |            |
| Acer        | platanoides         |                  | zolla   | altofusto   | 8-10       |
| Acer        | platanoides         |                  | zolla   | altofusto   | 10-12      |
| Aesculus    | hippocastanum       | Briotti          | zolla   | altofusto   | 70-80      |
| Agave       | americana           | variegata        | Lt 3    |             |            |
| Agave       | americana           | variegata        | Lt 9    |             |            |
| Amelanchier | lamarckii           |                  | Lt 9    |             | primavera  |
| Arbutus     | unedo               |                  | Lt 9    |             |            |
| Arbutus     | unedo               | Compacta         | Lt 3    |             | primavera  |
| Arbutus     | unedo               |                  | Lt 1000 | multitronco | 400/500    |
| Asimina     | triloba             |                  | Lt 3    |             |            |
| Aucuba      | japonica            | Variegata        | Lt 9    |             | 60/80      |
| Betula      | alba                |                  | Lt 45   |             | 10-12      |
| Bouganville | nana                |                  | Lt 20   | sfera       | 40/50      |
| Buxus       | sempervirens        |                  | Lt 110  | cono        | 150/175    |
| Buxus       | sempervirens        |                  | Lt 90   | sfera       | 80/100     |
| Buxus       | sempervirens        | Faulkner         | Lt 9    | cespuglio   | 60/80      |
| Callistemon | laevis              |                  | Lt 18   |             | 125/150    |
| Callistemon | laevis              |                  | Lt 9    |             | 100/120    |
| Callistemon | laevis              |                  | Lt 9    | ½ fusto     |            |

|                    |             |                |        |                     |           |
|--------------------|-------------|----------------|--------|---------------------|-----------|
| <b>Callistemon</b> | laevis      |                | Lt 30  | altofusto           | 4-6       |
|                    |             |                |        |                     |           |
| <b>Calycanthus</b> | praecox     |                | Lt 3   |                     | primavera |
| <b>Calycanthus</b> | floridus    |                | Lt 3   |                     | primavera |
|                    |             |                |        |                     |           |
| <b>Camellia</b>    | japonica    |                | Lt 3   | cespuglio           | 40/60     |
| <b>Camellia</b>    | japonica    |                | Lt 9   | cespuglio           | 80/100    |
| <b>Camellia</b>    | japonica    |                | Lt 18  | cespuglio           | 100/125   |
| <b>Camellia</b>    | japonica    |                | Lt 35  | cespuglio           | 80/100    |
| <b>Camellia</b>    | japonica    |                | Lt 45  | cespuglio           | 100/125   |
| <b>Camellia</b>    | japonica    |                | Lt 45  | cespuglio           | 125/150   |
| <b>Camellia</b>    | japonica    |                | Lt 30  | sfera               | primavera |
| <b>Camellia</b>    | japonica    |                | Lt 35  | spalliera 90x70     |           |
| <b>Camellia</b>    | japonica    |                | zolla  | $\frac{3}{4}$ fusto | 14-16     |
| <b>Camellia</b>    | japonica    |                | zolla  | $\frac{3}{4}$ fusto | 16-18     |
| <b>Camellia</b>    | japonica    |                | zolla  | $\frac{3}{4}$ fusto | 18-20     |
| <b>Camellia</b>    | japonica    |                | zolla  | $\frac{1}{2}$ fusto | 40/50     |
| <b>Camellia</b>    | japonica    |                | Lt 35  | $\frac{1}{2}$ fusto | 50/60     |
| <b>Camellia</b>    | japonica    |                | Lt 230 | multitronco         | 250/300   |
| <b>Camellia</b>    | japonica    |                | Lt 350 | multitronco         | 300/350   |
| <b>Camellia</b>    | sasanqua    |                | Lt 3   | cespuglio           |           |
| <b>Camellia</b>    | sasanqua    |                | Lt 9   | cespuglio           |           |
| <b>Camellia</b>    | sasanqua    |                | Lt 18  | cespuglio           |           |
| <b>Camellia</b>    | sasanqua    |                | Lt 45  | cespuglio           | 125/150   |
| <b>Camellia</b>    | sasanqua    |                | Lt 55  | cespuglio           | 150/175   |
| <b>Camellia</b>    | sasanqua    |                | Lt 55  | cespuglio           | 175/200   |
| <b>Camellia</b>    | sasanqua    |                | Lt 130 | cono extra          | 200/250   |
| <b>Camellia</b>    | sasanqua    |                | Lt 150 | cono extra          | 250/300   |
| <b>Camellia</b>    | sasanqua    |                | Lt 45  | sfera               | 60/70     |
| <b>Camellia</b>    | sasanqua    |                | Lt 55  | sfera               | 70/80     |
| <b>Camellia</b>    | sasanqua    |                | Lt 35  | spalliera 90x70     |           |
| <b>Camellia</b>    | sasanqua    |                | Lt 30  | $\frac{1}{2}$ fusto | 40/50     |
| <b>Camellia</b>    | sasanqua    |                | Lt 35  | $\frac{1}{2}$ fusto | 50/60     |
| <b>Camellia</b>    | sasanqua    |                | Lt 45  | $\frac{1}{2}$ fusto | 60/70     |
| <b>Camellia</b>    | sasanqua    |                | zolla  | $\frac{3}{4}$ fusto | 18-20     |
| <b>Camellia</b>    | sasanqua    |                | zolla  | $\frac{3}{4}$ fusto | 20-25     |
| <b>Camellia</b>    | sinensis    |                | Lt 3   |                     |           |
| <b>Camellia</b>    | sinensis    |                | Lt 9   |                     | 40/60     |
|                    |             |                |        |                     |           |
| <b>Carissa</b>     | grandiflora |                | Lt 3   |                     |           |
| <b>Carissa</b>     | grandiflora |                | Lt 9   |                     | 100/125   |
|                    |             |                |        |                     |           |
| <b>Carpinus</b>    | betulus     | Pyramidalis    | Lt 280 | altofusto           | 20-25     |
| <b>Carpinus</b>    | betulus     | Pyramidalis    | Lt 375 | altofusto           | 35-40     |
| <b>Carpinus</b>    | betulus     | Pyramidalis    | Lt 450 |                     | 600/700   |
|                    |             |                |        |                     |           |
| <b>Cedrus</b>      | deodara     | Pendula        | Lt 230 | altofusto           | 30-40     |
| <b>Cedrus</b>      | libani      |                | Lt 45  | colonnare           | 250/300   |
| <b>Cedrus</b>      | libani      |                | zolla  |                     | 300/350   |
| <b>Cedrus</b>      | deodara     | Robusta Glauca | zolla  | esemplare           | 40-50     |

|                 |              |                       |                    |             |           |
|-----------------|--------------|-----------------------|--------------------|-------------|-----------|
| Cedrus          | atlantica    | Pendula               | zolla              | 170/200     |           |
| Cedrus          | atlantica    | Glauca                | zolla              | 300/350     |           |
|                 |              |                       |                    |             |           |
| Celtis          | occidentalis |                       | panplast altofusto | 45-55       |           |
|                 |              |                       |                    |             |           |
| Cephalotaxus    | harringtonia | Fastigiata            | zolla              | 350/+       |           |
|                 |              |                       |                    |             |           |
| Chamaecyparis   | obtusa       | Nana Gracilis         | Lt 35 ciotola      | 120/140     |           |
| Chamaecyparis   | obtusa       | Nana Gracilis         | zolla              | 100/150     |           |
|                 |              |                       |                    |             |           |
| Citrus          | limonia      |                       | Lt 90              | multitronco | 150/200   |
| Citrus          | qum-quat     |                       | Lt 12              | cespuglio   |           |
| Citrus          | qum-quat     |                       | Lt 9               | cespuglio   |           |
| Citrus          | triptera     |                       | Lt                 | altofusto   | 8-12      |
|                 |              |                       |                    |             |           |
| Clematis        | in varietà   |                       | Lt 3               | canna 180cm |           |
| Clematis        | armandii     | bianco                | Lt 9               | canna 220cm | primavera |
| Clematis        | armandii     | Apple blossom         | Lt 9               | canna 220cm | primavera |
| Clematis        | montana      |                       | Lt 3               | canna 180cm |           |
|                 |              |                       |                    |             |           |
| Clerodendrum    | trichotomum  |                       | Lt 9               |             |           |
|                 |              |                       |                    |             |           |
| Corylus         | avellana     | Contorta              | Lt 55              | 120/140     |           |
|                 |              |                       |                    |             |           |
| Cotonaster      | Franchettii  |                       | Lt 9               |             |           |
|                 |              |                       |                    |             |           |
| Cryptomeria     | japonica     | Globosa nana          | Lt 9               | 30/40       |           |
|                 |              |                       |                    |             |           |
| Cupressocyparis | leylandii    | Castlewellan gold     | Lt 45              | ½ fusto     | 60/70     |
| Cupressocyparis | leylandii    | Castlewellan gold     | zolla              | cespuglio   | 300/350   |
| Cupressocyparis | leylandii    | Piramidale            | Lt 18              |             |           |
| Cupressocyparis | leylandii    | Gold Rider            | Lt 18              | ½ fusto     |           |
| Cupressocyparis | leylandii    | Pyramidalis           | Lt 80              | spirale     | 250/+     |
| Cupressocyparis | leylandii    | Pyramidalis           | Lt 110             | cono        | 300/350   |
| Cupressocyparis | leylandii    | Pyramidalis           | zolla              | 200-250     |           |
| Cupressocyparis | leylandii    | Pyramidalis           | zolla              | 250-300     |           |
| Cupressocyparis | leylandii    | Gold Rider            | zolla              | cespuglio   | 200/250   |
| Cupressocyparis | leylandii    | Gold Rider            | zolla              | cespuglio   | 300/350   |
|                 |              |                       |                    |             |           |
| Cupressus       | sempervirens |                       | Lt 30              | 200/250     |           |
| Cupressus       | sempervirens |                       | Lt 30              | 250/300     |           |
| Cupressus       | macrocarpa   | Greenstead magnificer | Lt 40              | ½ fusto     |           |
| Cupressus       | sempervirens | Pyramidalis           | Lt 9               | 100/+       |           |
| Cupressus       | sempervirens | Pyramidalis           | Lt 350             | 800/900     |           |
| Cupressus       | sempervirens | Totem                 | Lt 9               | 100/+       |           |
| Cupressus       | sempervirens | Totem                 | Lt 55              | 250-300     |           |
| Cupressus       | sempervirens | Totem                 | zolla              | 200-250     |           |
| Cupressus       | sempervirens | Totem                 | zolla              | 250-300     |           |
| Cupressus       | sempervirens | Totem                 | zolla              | 300-350     |           |
|                 |              |                       |                    |             |           |

|                    |             |                     |        |           |           |
|--------------------|-------------|---------------------|--------|-----------|-----------|
| <b>Cycas</b>       | revoluta    |                     | Lt 9   |           |           |
|                    |             |                     |        |           |           |
| <b>Datura</b>      | arborescens | mix color           | Lt 9   |           |           |
|                    |             |                     |        |           |           |
| <b>Davidia</b>     | involucrata |                     | Lt 18  |           |           |
|                    |             |                     |        |           |           |
| <b>Dyospiros</b>   | kaki        |                     | Lt 40  |           |           |
|                    |             |                     |        |           |           |
| <b>Edgeworthia</b> | chrysantha  |                     | Lt 7   |           |           |
|                    |             |                     |        |           |           |
| <b>Elaeagnus</b>   | ebbingei    |                     | Lt 9   |           | 80/100    |
| <b>Elaeagnus</b>   | ebbingei    |                     | Lt 9   | ½ fusto   | 25/35     |
| <b>Elaeagnus</b>   | ebbingei    |                     | zolla  | ½ fusto   |           |
|                    |             |                     |        |           |           |
| <b>Eriobotrya</b>  | coppertone  |                     | Lt 45  |           |           |
| <b>Eriobotrya</b>  | coppertone  |                     | Lt 9   |           | primavera |
| <b>Eriobotrya</b>  | coppertone  |                     | Lt 18  | ½ fusto   |           |
|                    |             |                     |        |           |           |
| <b>Eugenia</b>     | newport     |                     | Lt 9   |           | 120/+     |
| <b>Eugenia</b>     | newport     |                     | Lt 18  |           | 150/175   |
|                    |             |                     |        |           |           |
| <b>Euonymus</b>    | benkomasaki |                     | Lt 18  |           | 80/100    |
| <b>Euonymus</b>    | benkomasaki |                     | Lt 9   |           | primavera |
| <b>Euonymus</b>    | japonicus   | Elegantissima Aurea | Lt 18  | sfera     | primavera |
| <b>Euonymus</b>    | japonicus   | Elegantissima Aurea | Lt 25  | sfera     | 30/40     |
| <b>Euonymus</b>    | alatus      |                     | Lt 9   |           | primavera |
| <b>Euonymus</b>    | alatus      | Blade Runner        | Lt 9   |           | primavera |
| <b>Euonymus</b>    | alatus      | Compactus           | Lt 9   |           | primavera |
|                    |             |                     |        |           |           |
| <b>Evodia</b>      | danielli    |                     | Lt 18  | ¼ fusto   |           |
|                    |             |                     |        |           |           |
| <b>Fagus</b>       | sylvatica   | Dawyck              | Lt 350 |           | 600+/-    |
| <b>Fagus</b>       | sylvatica   | Dawyck              | Lt 280 |           | 500/+     |
| <b>Fagus</b>       | sylvatica   | Pendula             | Lt 110 |           | 400/+     |
| <b>Fagus</b>       | sylvatica   | Pendula             | Lt 450 |           | 600/+     |
|                    |             |                     |        |           |           |
| <b>Feijoa</b>      | sellowiana  |                     | Lt 9   |           | 100+/-    |
| <b>Feijoa</b>      | sellowiana  |                     | Lt 160 | sfera     | 100/125   |
|                    |             |                     |        |           |           |
| <b>Ficus</b>       | repens      |                     | Lt 3   | con canna |           |
| <b>Ficus</b>       | repens      |                     | Lt 9   | con canna |           |
|                    |             |                     |        |           |           |
| <b>Forsythia</b>   | intermedia  |                     | Lt 9   |           | primavera |
|                    |             |                     |        |           |           |
| <b>Fraxinus</b>    | Excelsior   |                     | zolla  | altofusto | 8-10      |
| <b>Fraxinus</b>    | Excelsior   |                     | zolla  | altofusto | 10-12     |
| <b>Fraxinus</b>    | Excelsior   |                     | zolla  | altofusto | 12-14     |
| <b>Fraxinus</b>    | Excelsior   |                     | zolla  | altofusto | 14-16     |
|                    |             |                     |        |           |           |
| <b>Gardenia</b>    | multiflora  |                     | Lt 3   |           | primavera |

|                    |              |                    |        |              |           |
|--------------------|--------------|--------------------|--------|--------------|-----------|
| <b>Gardenia</b>    | multiflora   |                    | Lt 18  | cespuglio    |           |
| <b>Gardenia</b>    | multiflora   |                    | Lt 9   | ½ fusto      |           |
| <b>Gardenia</b>    | multiflora   |                    | Lt 18  | ½ fusto      |           |
| <b>Gardenia</b>    | multiflora   |                    | Lt 9   |              | 60/80     |
| <b>Gardenia</b>    | multiflora   |                    | Lt 40  | cono         | 160/180   |
|                    |              |                    |        |              |           |
| <b>Gaura</b>       | Rosso        |                    | Lt 9   |              |           |
| <b>Gaura</b>       | Bianco       |                    | Lt 9   |              |           |
| <b>Gaura</b>       | Rosa         |                    | Lt 9   |              |           |
|                    |              |                    |        |              |           |
| <b>Ginkgo</b>      | biloba       |                    | zolla  | altofusto    | 10-12     |
| <b>Ginkgo</b>      | biloba       |                    | zolla  | altofusto    | 12-14     |
| <b>Ginkgo</b>      | biloba       |                    | zolla  | altofusto    | 14-16     |
| <b>Ginkgo</b>      | biloba       |                    | zolla  | altofusto    | 16-18     |
| <b>Ginkgo</b>      | biloba       |                    | 180Lt  | ½ fusto      | 20-25     |
|                    |              |                    |        |              |           |
| <b>Gleditsia</b>   | tricantos    | Sunburst           | zolla  | esemplare    | 50-60     |
|                    |              |                    |        |              |           |
| <b>Grevillea</b>   | juniperina   |                    | Lt 9   |              |           |
| <b>Grevillea</b>   | rosmarifolia |                    | Lt 9   |              |           |
|                    |              |                    |        |              |           |
| <b>Heptacodium</b> | miconioides  |                    | Lt 18  | ½ fusto      |           |
|                    |              |                    |        |              |           |
| <b>Hibiscus</b>    | syriacus     |                    | Lt 40  | altofusto    | 14-16     |
|                    |              |                    |        |              |           |
| <b>Hoya</b>        | carnosa      |                    | Lt 3   |              | 160-180   |
|                    |              |                    |        |              |           |
| <b>Hydrangea</b>   | petiolaris   |                    | Lt 9   |              |           |
| <b>Hydrangea</b>   | quercifolia  |                    | Lt 9   |              |           |
|                    |              |                    |        |              |           |
| <b>Ilex</b>        | meserveae    | heckenstar         | Lt 9   |              |           |
| <b>Ilex</b>        | aquifolium   | Argentea marginata | Lt 9   |              |           |
| <b>Ilex</b>        | aquifolium   | Argentea marginata | Lt 30  | ½ fusto      | primavera |
| <b>Ilex</b>        | castanifolia |                    | zolla  | ¾ fusto      | 20-25     |
| <b>Ilex</b>        | castanifolia |                    | Lt 150 | ½ fusto cono | 20-25     |
| <b>Ilex</b>        | castanifolia |                    | Lt 150 | ¾ fusto      | 18-20     |
| <b>Ilex</b>        | castanifolia |                    | Lt 150 | ¾ fusto      | 20-25     |
| <b>Ilex</b>        | mutchagara   | Nellie Stevens     | Lt 9   |              | 100+/-    |
| <b>Ilex</b>        | mutchagara   | Nellie Stevens     | Lt 130 | ¾ fusto      | 18-20     |
| <b>Ilex</b>        | mutchagara   | Nellie Stevens     | Lt 130 | ¾ fusto      | 20-25     |
| <b>Ilex</b>        | mutchagara   | Nellie Stevens     | Lt 30  | altofusto    | 10-12     |
| <b>Ilex</b>        | mutchagara   | Nellie Stevens     | Lt 30  | altofusto    | 12-14     |
| <b>Ilex</b>        | mutchagara   | Nellie Stevens     | Lt 45  | altofusto    | 14-16     |
| <b>Ilex</b>        | mutchagara   | Nellie Stevens     | Lt 45  | altofusto    | 16-18     |
| <b>Ilex</b>        | mutchagara   | Nellie Stevens     | Lt 110 | ½ fusto      | 16-18     |
| <b>Ilex</b>        | mutchagara   | Nellie Stevens     | Lt 110 | ½ fusto      | 18-20     |
| <b>Ilex</b>        | Furcata      |                    | zolla  | cespuglio    | 200/250   |
| <b>Ilex</b>        | Furcata      |                    | Lt 150 | ponpon       |           |
|                    |              |                    |        |              |           |
| <b>Jasminum</b>    | sambac       |                    | Lt 3   |              | 130/150   |

|                      |                  |                      |        |                 |           |
|----------------------|------------------|----------------------|--------|-----------------|-----------|
|                      |                  |                      |        |                 |           |
| <b>Koelreuteria</b>  | paniculata       |                      | Lt 18  |                 |           |
| <b>Kolkwitzia</b>    | amabilis         |                      | Lt 9   |                 |           |
|                      |                  |                      |        |                 |           |
| <b>Laurus</b>        | nobilis          |                      | Lt 50  | ½ fusto         | 50-60     |
| <b>Laurus</b>        | nobilis          |                      | Lt 50  | ½ fusto         | 60-70     |
|                      |                  |                      |        |                 |           |
| <b>Lagerstroemia</b> | indica           | varietà              | Lt 18  |                 | 150/175   |
| <b>Lagerstroemia</b> | indica           | varietà              | zolla  | cespuglio/multi | 250/300   |
| <b>Lagerstroemia</b> | indica           | varietà              | zolla  | cespuglio/multi | 300/350   |
| <b>Lagerstroemia</b> | indica           | varietà              | zolla  | cespuglio/multi | 350/400   |
| <b>Lagerstroemia</b> | indica           | varietà              | zolla  | cespuglio/multi | 400/500   |
| <b>Lagerstroemia</b> | indica           | rosso                | Lt 110 |                 | 350/400   |
| <b>Lagerstroemia</b> | indica           | rosso                | Lt 210 | multitronco     | 400/500   |
|                      |                  |                      |        |                 |           |
| <b>Ligustrum</b>     | texanum          |                      | Lt 35  | sfera           | 80/100    |
| <b>Ligustrum</b>     | texanum          |                      | Lt 130 | multitronco     | 175/200   |
| <b>Ligustrum</b>     | jonandrum        |                      | Lt 30  | ½ fusto         |           |
|                      |                  |                      |        |                 |           |
| <b>Liquidambar</b>   | styraciflua      | golden sun           | zolla  | cespuglio       | 300/350   |
| <b>Liquidambar</b>   | styraciflua      | golden sun           | Lt 45  | cespuglio       | 300/350   |
| <b>Liquidambar</b>   | styraciflua      |                      | zolla  | altofusto       | 10-12     |
| <b>Liquidambar</b>   | styraciflua      |                      | zolla  | altofusto       | 12-14     |
| <b>Liquidambar</b>   | styraciflua      |                      | zolla  | altofusto       | 14-16     |
| <b>Liquidambar</b>   | styraciflua      |                      | zolla  | altofusto       | 16-18     |
| <b>Liquidambar</b>   | styraciflua      |                      | zolla  | altofusto       | 18-20     |
| <b>Liquidambar</b>   | styraciflua      |                      | zolla  | altofusto       | 35-40     |
| <b>Liquidambar</b>   | styraciflua      |                      | zolla  | altofusto       | 40-45     |
| <b>Liquidambar</b>   | styraciflua      |                      | zolla  | altofusto       | 50-60     |
| <b>Liquidambar</b>   | styraciflua      |                      | Lt 450 | altofusto       | 35-40     |
| <b>Liquidambar</b>   | styraciflua      |                      | Lt 450 | ramificato      | 600/650   |
| <b>Liquidambar</b>   | styraciflua      | slender silhouette   | Lt 450 | ramificato      | 600/700   |
| <b>Liquidambar</b>   | styraciflua      | slender silhouette   | zolla  |                 | 175-200   |
| <b>Liquidambar</b>   | styraciflua      | slender silhouette   | zolla  |                 | 200-250   |
|                      |                  |                      |        |                 |           |
| <b>Lonicera</b>      | fragrantissima   |                      | Lt 9   | cespuglio       |           |
|                      |                  |                      |        |                 |           |
| <b>Loropetalum</b>   | chinense         | Black Pearl          | Lt 9   |                 |           |
| <b>Loropetalum</b>   | chinense         | Fede                 | Lt 250 | spalliera 90x50 |           |
| <b>Loropetalum</b>   | chinense         | Rouge de la Marjorie | Lt 9   | cespuglio       | primavera |
|                      |                  |                      |        |                 |           |
| <b>Mahonia</b>       | charity          |                      | Lt 130 |                 | 175/200   |
|                      |                  |                      |        |                 |           |
| <b>Magnolia</b>      | Stellata         | Rosea                | zolla  |                 | 250       |
| <b>Magnolia</b>      | da fiore varietà |                      | zolla  |                 | 400/500   |
| <b>Magnolia</b>      | grandiflora      | Francois Treyve      | Lt 300 | altofusto       | 30-35     |
| <b>Magnolia</b>      | grandiflora      | Gallissoniensis      | zolla  | cespuglio       | 450/500   |
| <b>Magnolia</b>      | grandiflora      | Gallissoniensis      | zolla  | cespuglio       | 500/600   |
| <b>Magnolia</b>      | grandiflora      | Gallissoniensis      | zolla  | cespuglio       | 600/700   |
| <b>Magnolia</b>      | grandiflora      | Gallissoniensis      | Lt 9   |                 | primavera |

|                     |               |                 |        |             |           |
|---------------------|---------------|-----------------|--------|-------------|-----------|
| <b>Magnolia</b>     | grandiflora   | Gallissoniensis | Lt 450 |             | 400+/-    |
| <b>Magnolia</b>     | grandiflora   | Gallissoniensis | Lt 450 |             | 450/500   |
| <b>Magnolia</b>     | grandiflora   | Little Gem      | zolla  | cespuglio   | 400/450   |
|                     |               |                 |        |             |           |
| <b>Melaleuca</b>    | hypericifolia |                 | Lt 30  |             | 150/200   |
| <b>Melaleuca</b>    | leucadendron  |                 | Lt 80  | multitronco | 300/350   |
| <b>Melaleuca</b>    | leucadendron  |                 | Lt 30  | altofusto   | 8-10      |
|                     |               |                 |        |             |           |
| <b>Morus</b>        | fruitless     |                 | Lt 65  | altofusto   | 16-18     |
|                     |               |                 |        |             |           |
| <b>Metrosideros</b> | excelsa       |                 | Lt 9   | cespuglio   | 80/100    |
|                     |               |                 |        |             |           |
| <b>Myrtus</b>       | communis      |                 | Lt 9   |             |           |
|                     |               |                 |        |             |           |
| <b>Nandina</b>      | domestica     | Fire Power      | Lt 9   |             |           |
| <b>Nandina</b>      | domestica     |                 | Lt 9   |             | 60+/-     |
| <b>Nandina</b>      | domestica     |                 | Lt 30  |             | 80/120    |
| <b>Nandina</b>      | domestica     |                 | Lt 18  |             | 100+/-    |
| <b>Nandina</b>      | domestica     | Obsessed        | Lt 9   |             |           |
| <b>Nandina</b>      | domestica     |                 | zolla  | cespuglio   | 120/140   |
|                     |               |                 |        |             |           |
| <b>Nerium</b>       | oleander      |                 | Lt 50  | altofusto   | 12-14     |
| <b>Nerium</b>       | oleander      |                 | Lt 18  | ½ fusto     |           |
| <b>Nerium</b>       | oleander      |                 | Lt 35  | ¾fusto      | 12-14     |
|                     |               |                 |        |             |           |
| <b>Nyssa</b>        | silvatica     |                 | Lt 250 | altofusto   | 30-35     |
|                     |               |                 |        |             |           |
| <b>Osmanthus</b>    | fragrans      |                 | Lt 3   |             |           |
| <b>Osmanthus</b>    | fragrans      |                 | zolla  | ½ fusto     | 16-20     |
| <b>Osmanthus</b>    | fragrans      |                 | zolla  | altofusto   | 14-16     |
| <b>Osmanthus</b>    | fragrans      |                 | Lt 350 | multitronco | 300/350   |
| <b>Osmanthus</b>    | fragrans      | Aurantiacus     | Lt 110 | ½ fusto     | 16-18     |
| <b>Osmanthus</b>    | fragrans      | Aurantiacus     | zolla  |             | 300/350   |
| <b>Osmanthus</b>    | aquifolium    |                 | Lt 3   |             |           |
| <b>Osmanthus</b>    | aquifolium    |                 | Lt 9   |             | 80/100    |
| <b>Osmanthus</b>    | ilicifolium   |                 | Lt 9   |             | 80/100    |
| <b>Osmanthus</b>    | ilicifolium   |                 | Lt 70  | cespuglio   | 140/160   |
| <b>Osmanthus</b>    | ilicifolium   |                 | Lt 50  | ½ fusto     | 14-16     |
| <b>Osmanthus</b>    | ilicifolium   |                 | Lt 50  | ½ fusto     | 16-18     |
| <b>Osmanthus</b>    | ilicifolium   |                 | zolla  | altofusto   | 12-14     |
| <b>Osmanthus</b>    | ilicifolium   |                 | zolla  | ½ fusto     | 12-14     |
| <b>Osmanthus</b>    | aquifolium    |                 | Lt 18  | cespuglio   | 125/150   |
| <b>Osmanthus</b>    | aquifolium    |                 | Lt 90  |             | 130/150   |
| <b>Osmanthus</b>    | burkwoodii    |                 | Lt 18  |             | primavera |
| <b>Osmanthus</b>    | heterophyllus | tricolor        | Lt 9   |             |           |
| <b>Osmanthus</b>    | heterophyllus | tricolor        | Lt 3   |             |           |
|                     |               |                 |        |             |           |
| <b>Phillyrea</b>    | angustifolia  |                 | Lt 9   |             |           |
|                     |               |                 |        |             |           |
| <b>Phormium</b>     | dark delight  |                 | Lt 9   |             |           |

|                      |             |                    |        |             |                   |
|----------------------|-------------|--------------------|--------|-------------|-------------------|
| <b>Phormium</b>      | gold sword  |                    | Lt 9   |             |                   |
| <b>Phormium</b>      | golden ray  |                    | Lt 9   |             |                   |
|                      |             |                    |        |             |                   |
| <b>Photinia</b>      | x fraseri   | Nana               | Lt 9   | sfera       | 30–40             |
| <b>Photinia</b>      | x fraseri   | Nana               | Lt 18  | sfera       | 40–50             |
| <b>Photinia</b>      | robusta     | Compacta           | Lt 9   |             |                   |
| <b>Photinia</b>      | robusta     | Compacta           | Lt 9   | ½ fusto     | primavera         |
| <b>Photinia</b>      | x fraseri   | Red Robin          | Lt 9   | cespuglio   | 80/100            |
| <b>Photinia</b>      | x fraseri   | Red Robin          | Lt 18  | cespuglio   | 150/175           |
| <b>Photinia</b>      | x fraseri   | Red Robin          | LT 55  | cespuglio   | 200/250           |
| <b>Photinia</b>      | x fraseri   | Red Robin          | Lt 35  | sfera       | 60/+              |
| <b>Photinia</b>      | x fraseri   | Red Robin          | Lt 45  | sfera       | 70/+              |
| <b>Photinia</b>      | x fraseri   | Red Robin          | Lt 18  | ½ fusto     |                   |
| <b>Photinia</b>      | x fraseri   | Red Robin          | Lt 35  | altofusto   | 8–10              |
| <b>Photinia</b>      | x fraseri   | Red Robin          | Lt 45  | altofusto   | 10–12             |
| <b>Photinia</b>      | x fraseri   | Red Robin          | Lt 55  | altofusto   | 12-14             |
| <b>Photinia</b>      | x fraseri   | Red Robin          | zolla  | cespuglio   | 125/150           |
| <b>Photinia</b>      | x fraseri   | Red Robin          | zolla  | cespuglio   | 150/175           |
| <b>Photinia</b>      | x fraseri   | Red Robin          | zolla  | cespuglio   | 175/250           |
| <b>Photinia</b>      | x fraseri   | Red Robin          | Lt 110 | multitronco | 250/300           |
|                      |             |                    |        |             |                   |
| <b>Physocarpus</b>   | opulifolius | Diabolo            | Lt 9   |             | 80-100            |
|                      |             |                    |        |             |                   |
| <b>Picea</b>         | Pungens     | Kosteriana Hoopsii | zolla  | ½ fusto     | htr.120 H.400/500 |
|                      |             |                    |        |             |                   |
| <b>Pinus</b>         | nigra       | Austriaca          | Lt 20  |             |                   |
| <b>Pinus</b>         | mugo Mugus  |                    | Lt 12  |             |                   |
|                      |             |                    |        |             |                   |
| <b>Pistacea</b>      | lentiscus   |                    | Lt 9   |             |                   |
|                      |             |                    |        |             |                   |
| <b>Pittosporum</b>   | tobira      | Nanum              | Lt 9   |             | primavera         |
|                      |             |                    |        |             |                   |
| <b>Plumbago</b>      | (blu)       |                    | Lt 9   |             | primavera         |
|                      |             |                    |        |             |                   |
| <b>Populus</b>       | alba        |                    | Lt 65  | cespuglio   | 500/+             |
|                      |             |                    |        |             |                   |
| <b>Prunus</b>        | lusitanica  | Angustifolia       | zolla  | altofusto   | 8-10              |
| <b>Prunus</b>        | lusitanica  | Angustifolia       | zolla  | altofusto   | 14-16             |
| <b>Prunus</b>        | lusitanica  | Angustifolia       | zolla  | altofusto   | 16-18             |
| <b>Prunus</b>        | lusitanica  | Angustifolia       | zolla  | cono        | 150/175           |
| <b>Prunus</b>        | lusitanica  | Angustifolia       | zolla  | cono        | 175/200           |
|                      |             |                    |        |             |                   |
| <b>Pseudocydonia</b> | sinensis    |                    | Lt 18  |             | 120/+             |
|                      |             |                    |        |             |                   |
| <b>Psidium</b>       | cattleianum |                    | Lt 18  |             |                   |
|                      |             |                    |        |             |                   |
| <b>Punica</b>        | granatun    | nano               | Lt 3   |             |                   |
|                      |             |                    |        |             |                   |
| <b>Pyracantha</b>    | navaho      |                    | Lt 30  | cespuglio   | 100/120           |
| <b>Pyracantha</b>    | navaho      |                    | Lt 18  | con canna   |                   |

|                      |              |                |        |           |           |
|----------------------|--------------|----------------|--------|-----------|-----------|
| <b>Pyracantha</b>    | navaho       |                | Lt 9   | cespuglio |           |
|                      |              |                |        |           |           |
| <b>Pyrus</b>         | calleriana   | Chantichleer   | zolla  | esemplare | 60-70     |
| <b>Pyrus</b>         | calleriana   | Chantichleer   | zolla  | esemplare | 700/800   |
|                      |              |                |        |           |           |
| <b>Quercus</b>       | frainetto    |                | Lt 230 | altofusto | 30-35     |
| <b>Quercus</b>       | frainetto    |                | Lt 230 | altofusto | 35-40     |
| <b>Quercus</b>       | ilex         |                | Lt 130 | altofusto | 25-30     |
| <b>Quercus</b>       | suber        |                | Lt 500 | esemplare | 70-80     |
| <b>Quercus</b>       | suber        |                | Lt 110 | altofusto | 25-30     |
|                      |              |                |        |           |           |
| <b>Raphiolepis</b>   | ovata        |                | Lt 9   |           |           |
|                      |              |                |        |           |           |
| <b>Rhyncospermum</b> | jasminoides  |                | Lt 55  |           | 300-350   |
| <b>Rhyncospermum</b> | jasminoides  |                | Lt 30  |           | 300-350   |
| <b>Rhyncospermum</b> | jasminoides  |                | Lt 9   |           | 200/225   |
| <b>Rhyncospermum</b> | jasminoides  |                | Lt 3   |           | 175/+     |
| <b>Rhyncospermum</b> | jasminoides  |                | Lt 3   |           | 100/120   |
| <b>Rhyncospermum</b> | jasminoides  | Tricolor       | Lt 3   |           |           |
| <b>Rhyncospermum</b> | asiaticum    | Hogon Nishiki  | Lt 3   | con canna |           |
|                      |              |                |        |           |           |
| <b>Rosa</b>          | banksiae     | Alba           | Lt 9   |           | 160/180   |
| <b>Rosa</b>          | banksiae     | Lutea          | Lt 9   |           | 100/120   |
| <b>Rosa</b>          | banksiae     | Rosea          | Lt 9   |           | 160/180   |
|                      |              |                |        |           |           |
| <b>Salix</b>         | babilonica   | alba           | Lt 90  | altofusto | 18-20     |
| <b>Salix</b>         | babilonica   | alba           | Lt 90  | altofusto | 20-25     |
|                      |              |                |        |           |           |
| <b>Sarcococca</b>    | ruscifolia   |                | Lt 3   |           |           |
| <b>Sarcococca</b>    | ruscifolia   |                | Lt 9   |           |           |
| <b>Sarcococca</b>    | ruscifolia   |                | Lt 18  |           |           |
|                      |              |                |        |           |           |
| <b>Sophora</b>       | japonica     | Pendula        | Lt 50  | altofusto | 18-20     |
|                      |              |                |        |           |           |
| <b>Taxus</b>         | media        | Hillii         | Lt 35  | cespuglio | 150-175   |
| <b>Taxus</b>         | media        | Hicksii        | zolla  |           | 180/200   |
|                      |              |                |        |           |           |
| <b>Teucrium</b>      | fruticans    |                | Lt 9   |           |           |
|                      |              |                |        |           |           |
| <b>Thuja</b>         | occidentalis | Smaragd        | Lt 18  |           |           |
| <b>Thuja</b>         | occidentalis | Smaragd        | Lt 9   |           | primavera |
|                      |              |                |        |           |           |
| <b>Tilia</b>         | hybrida      | Argentea       | zolla  | altofusto | 40-50     |
|                      |              |                |        |           |           |
| <b>Viburnum</b>      | davidii      |                | Lt 9   |           |           |
| <b>Viburnum</b>      | lucidum      |                | Lt 130 | colonna   | 250/300   |
| <b>Viburnum</b>      | lucidum      |                | Lt 80  | sfera     | 100       |
| <b>Viburnum</b>      | opulus       | Roseum         | Lt 9   |           | 100+/-    |
| <b>Viburnum</b>      | plicatum     | Rhytidophyllum | Lt 18  |           |           |
| <b>Viburnum</b>      | burkwoodii   |                | Lt 3   |           |           |

|                   |             |        |                    |      |           |
|-------------------|-------------|--------|--------------------|------|-----------|
| <b>Viburnum</b>   | mariesii    |        | Lt 55              |      | 125/150   |
|                   |             |        |                    |      |           |
| <b>Westringia</b> | fruticolosa | viola  | Lt 65              | cono | 160/180   |
| <b>Westringia</b> | fruticolosa | bianco | Lt 9               |      |           |
|                   |             |        |                    |      |           |
| <b>Wisteria</b>   | sinensis    |        | Lt 3               |      | 150/175   |
|                   |             |        |                    |      |           |
| <b>Yucca</b>      | gloriosa    |        | Lt 12              |      | Htr.40/60 |
| <b>Yucca</b>      | gloriosa    |        | Lt 12              |      | Htr,60/80 |
|                   |             |        |                    |      |           |
| <b>Zelkova</b>    | serrata     |        | panplast altofusto |      | 60-70     |